DANAMRAJ & YOUST, P.C.

**ATTORNEYS AND COUNSELORS
INTELLECTUAL PROPERTY LAW AND RELATED MATTERS**

PREMIER PLACE, SUITE 1450
5910 NORTH CENTRAL EXPRESSWAY
DALLAS, TEXAS 75206
(214) 750-5666 (tel)
(214) 363-8177 (fax)

SHREEN K. DANAMRAJ
LAWRENCE R. YOUST
BRANDI W. SARFATIS

Direct Dial: (214) 363-4266
lawrence@dy-iplaw.com

October 20, 2004

Via Facsimile 703.308.2733

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

**RECEIVED
CENTRAL FAX CENTER
OCT 2 0 2004**

Re: Serial No.:   09/678,163
       Art Unit: 2823
       Examiner: Hsien Ming Lee
       Attorney Docket No.: 1384-1008

Dear Sir:

Enclosed for filing please find the Status Inquiry Under MPEP §203.08 (1 + 1 pages) relating to the above-identified application.

If you have any questions or comments concerning this matter, please call the undersigned at your earliest convenience. Otherwise, please accept the enclosed.

Sincerely,

Lawrence R. Youst
Reg. No. 38,795

Enclosure

Certificate of Transmission Under 37 C.F.R. §1.8

I hereby certify that this correspondence is being transmitted by facsimile to the United States Patent and Trademark Office on: October 20, 2004.

Lawrence R. Youst

Serving the Spirit of Innovation®

Attorney Docket No.: 1384-1008

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

RECEIVED

CENTRAL FAX CENTER

OCT 2 0 2004

In Re Application: Jerry D. Kline

Serial No.:   09/678,163

Filed: October 2, 2000

Art Unit: 2823

Examiner: Hsien Ming Lee

For: Method for Selecting Components for a Matched
                   Set from a Wafer-Interposer Assembly

Commissioner of Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Status Inquiry Under MPEP §203.08

Dear Sir:

Applicant respectfully requests the status of the above-
captioned patent application.   Please fax your reply to the
undersigned Attorney of Record at 214.363.8177.

Dated this 20th day of October, 2004.

Respectfully submitted:

Lawrence R. Youst
Reg. No. 38,795
Danamraj & Youst, P.C.
Premier Place, Suite 1450
5910 N. Central Expressway
Dallas, Texas 75206
Tel 214.363.4266
Fax 214.363.8177

1